Product Matrix

Pod



MP 1

Recommended occupancy:

W1070×D1070×H2305 (mm)

Furniture: 1. Bar table
2. Bar stool



MP 1Pro

Recommended occupancy:

W1320×D1070×H2305 (mm)

Furniture: Height-adjustable desk



MP 3

Recommended occupancy:

W2370×D1370×H2305 (mm)

Furniture: 1. Conference table
2. Sofa

Materials & Craftsmanship

_Pod

The MP Series adopts a standardized modular design approach , with each component developed independently for efficient installation and modular reuse. Modules can be easily replaced, maintained, or upgraded to suit changing needs. This flexibility allows the product to adapt to space relocations, configuration changes, and design updates—so it can keep pace with evolving spatial requirements.



Top

6063-T5 aluminum alloy frame + sound insulation layer
+ acoustic package + sound insulation layer
+ sound-absorbing panel + Gabriel eco-friendly fabric upholstery
+ integrated lighting and ventilation system
+ Mm-wave radar sensor

Glass

Tempered laminated glass

Frame

Aerospace-grade 6063 aluminum alloy

Door

Aerospace-grade 6063 aluminum alloy frame +
tempered laminated glass + concealed automatic
door closer + ergonomic metal door handle

Coating

Electrostatic powder coating by TIGER Coatings, Austria

Wall

6063-T6 aluminum alloy frame + steel plate
+ acoustic package + sound insulation layer
+ sound-absorbing panel
+ Gabriel eco-friendly fabric upholstery

Bottom

Multi-layer solid wood board + steel frame + carpet
+ wood panel ventilation system

MP 1

Make Spaces Adapt on Demand

(mm)



Specifications and Dimensions

Dimensions (mm)	External dimensions：W1070×D1070×H2305 Internal dimensions：W900×D900×H2087
Door Opening Direction	Right-hand opening
Area	2 m³
Utility Wall	None
Standard Accessories	Millimeter-wave radar sensors, door closers, bottom rollers, Integrated Light & Air Module

Parameter Configuration

Total Power	175.2 W (excluding external devices; connected appliance power ≤1000 W)
Integrated light & fan (adjustable))	Color temperature 3000K-8000K; illuminance 0-600 lx
Airflow	2.35 m³/min, 83.04 CFM
Noise reduction (dB)	DS,A 30.3dB (ISO 23351-1:2020)
Weight	To be updated

Mains Power / Low-Voltage Systems

● for high-voltage power; ■ for PCB board.



MP 1

Furniture

Unit: mm



L-shaped bar table

W904×D850×H25
Height of the desk fromfloor: 1042
(including accessory storage trough)



Para bar stool

W450×D459 ×H870

Pallet Placement Sequence



MP1

Power

Standard:



Standard: Knob control screen + self-developed hub

Intelligent Configuration

Standard:



Acoustic shield occupancy indicator light

Hub power ports: 2×5-hole AC socket, 1×Type-A USB, 1×Type-C USB, 1×retractable Type-A cable

MP 1Pro

Make Spaces Adapt on Demand

(mm)



Specifications and Dimensions

Dimensions (mm)	External dimensions：W1320×D1070×H2305 Internal dimensions：W1150×D900×H2087
Door Opening Direction	Right-hand opening
Area	2.3 m³
Utility Wall	250 mm front utility wall + 250 mm rear utility wall
Standard Accessories	Millimeter-wave radar sensors, door closers, bottom rollers, Integrated Light & Air Module

Parameter Configuration

Total Power	175.2 W (excluding external devices; connected appliance power ≤1000 W)
Integrated light & fan (adjustable))	Color temperature 3000K-8000K; illuminance 0-600 lx
Airflow	2.35 m³/min, 83.04 CFM
Noise reduction (dB)	DS,A 30.3dB (ISO 23351-1:2020)
Weight	To be updated

Mains Power / Low-Voltage Systems

● for high-voltage power; ■ for PCB board.



MP 1 Pro

Furniture

Unit: mm



Electric height-adjustable desk

1 cup holder;
W900×D470×H740-1150

Pallet Placement Sequence



MP1 Pro

Power

Standard:



Standard: Knob control screen + self-developed hub

Intelligent Configuration

Standard:



Acoustic shield occupancy indicator light

Optional:



① Digital display indicator light + ② External booking screen

Hub power ports: 2×5-hole AC socket, 1×Type-A USB, 1×Type-C USB, 1×retractable Type-A cable

MP 3

Make Spaces Adapt on Demand

(mm)



Specifications and Dimensions

Dimensions (mm)	External dimensions：W2370×D1370×H2305 Internal dimensions：W2200×D1200×H2087
Door Opening Direction	Right-hand opening
Area	3.3 m³
Utility Wall	250 mm front utility wall +400 mm rear utility wall
Standard Accessories	Millimeter-wave radar sensors, door closers, bottom rollers, Integrated Light & Air Module

Parameter Configuration

Total Power	214W (excluding external devices; connected appliance power ≤1000 W)
Integrated light & fan (adjustable))	Color temperature 3000K-8000K; illuminance 0-600 lx
Airflow	8.01 m³/min;282.89 CFM
Noise reduction (dB)	DS,A 30.3dB (ISO 23351-1:2020)
Weight	To be updated

Mains Power / Low-Voltage Systems

● for high-voltage power; ■ for PCB board.



MP 3

Furniture

Unit: mm



Smart Meeting Table

W600×D800 ×H740 +400



Sofa ×2

W1190×D605×H730; seat height:440 mm

Pallet Placement Sequence



MP3

Power

Standard:



Two-port covered hub

Intelligent Configuration

Standard:



① Acoustic shield occupancy indicator light + ② Internal central control screen

Optional:



① Digital display indicator light + ② External booking screen

Hub power ports:2×5-hole AC socket,2×Type-A USB,2×Type-C USB,2×retractable Type-A cable

Color Options

Exterior_Coating

Skyline
MS01


Cloud
MS02
(Same color as the frame)


Pebble
MS03
(Same color as the frame)


Sunrise
MS04


Pine Tree
MS06

Gingkgo
MS07


StarryNight
MS08


Peach
MS10


Golden Desert
MS12
(Same color as the frame)

Interio_ Fabricr +Carpet

Fixed 1:1 finish and carpet pairing


Mint Green
001
+

Rug001


Oatmeal Yellow
003
+

Rug003


Terracotta orange
004
+

Rug004


Mist Gray
005
+

Rug005

Seating_ Fabric


Frost
60188


Porcelain
61206


Marigold
62063


Ochre
63077


Amber
64137


Lavender
64194


Arctic
66159


Sapphire
66160


Wilderness
68141

Tables

Plywood


Feather White
PL-01


Oak Sand Grain
PL-02


Aerolite Black
XPL-03

MFC


Warm Wood
MFC-02


Lunar White
MFC-01